

PharmLabs San Diego Certificate of Analysis



Sample RT Blue Raspberry 12.12

Sample ID SD241227-089 (104338)	Matrix Edible
Tested for Road Trip Co	
Sampled -	Received Dec 27, 2024
Analyses executed RES, MIBNIG, MTO, PES, HME, 4AD, TRY, PSY	Reported Jan 23, 2025
Unit Mass (g) 30.765	Num. of Servings 8
	Serving Size (g) 3.85

Laboratory note: COA Update: 1/23/25 - Photo updated as per client request. This sample contains an Unidentified Peak that PharmLabs does not currently test for.

4AD - 4AD Tryptamines

Analyzed Dec 19, 2024 | Instrument HPLC VWD | Method SOP-4AD

The expanded Uncertainty of the 4AD Tryptamines analysis is approximately ±7.806% at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit	Sample photography
Mescaline (MESCL)	0.19	0.584	ND	ND	ND	ND	
N,N-Dimethyltryptamine (DMT)	0.015	0.048	ND	ND	ND	ND	
Psilocetin (PSLA)	0.015	0.044	ND	ND	ND	ND	
4-Hydroxy-DET (4HDE)	0.014	0.042	ND	ND	ND	ND	
4-Acetoxy-MET (4AME)	0.018	0.053	ND	ND	ND	ND	
4-Acetoxy-DET (4ADE)	0.004	0.011	ND	ND	ND	ND	
4-Bromo-DMP (2C-B)	0.19	0.576	ND	ND	ND	ND	

TRY - Tryptamine

Analyzed Dec 19, 2024 | Instrument HPLC VWD | Method SOP-TRY

The expanded Uncertainty of the Tryptamine analysis is approximately ±7.806% at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit
Norbaeocystin (NORB)	0.01	0.029	ND	ND	ND	ND
Baeocystin (BAEO)	0.01	0.029	ND	ND	ND	ND
Aeruginascin (AERU)	0.007	0.022	ND	ND	ND	ND
Norpsilocin (NORP)	0.003	0.009	ND	ND	ND	ND

PSY - Psilocybin & Psilocin

Analyzed Dec 19, 2024 | Instrument HPLC VWD | Method SOP-PSY

The expanded Uncertainty of the Psilocybin & Psilocin analysis is approximately ±7.806% at the 95% Confidence Level

Analyte	LOD ppm	LOQ ppm	Result %	Result mg/g	Result mg/Serving	Result mg/Unit
Psilocybin (PSCY)	0.007	0.019	ND	ND	ND	ND
Psilocin (PSCI)	0.003	0.009	ND	ND	ND	ND

HME - Heavy Metals

Analyzed Dec 30, 2024 | Instrument ICP/MSMS | Method SOP-005

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Arsenic (As)	0.0009	0.0027	ND	1.5
Cadmium (Cd)	0.0005	0.0015	0.00	0.5
Mercury (Hg)	0.0058	0.0174	ND	3
Lead (Pb)	0.0006	0.0018	0.04	0.5

MIBNIG - Microbial

Analyzed Dec 30, 2024 | Instrument Plating | Method SOP-007

Analyte	LOD CFU/g	LOQ CFU/g	Result CFU/g	Limit CFU/g
Shiga toxin-producing Escherichia Coli	1.0	1.0	ND	1
Salmonella spp.	1.0	1.0	ND	1

MTO - Mycotoxin

Analyzed Dec 30, 2024 | Instrument LC/MSMS | Method SOP-004

Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg	Limit ug/kg	Analyte	LOD ug/kg	LOQ ug/kg	Result ug/kg	Limit ug/kg
Ochratoxin A	5.0	20.0	ND	-	Aflatoxin B1	2.5	5.0	ND	-
Aflatoxin B2	2.5	5.0	ND	-	Aflatoxin G1	2.5	5.0	ND	-
Aflatoxin G2	2.5	5.0	ND	-	Total Aflatoxins	10.0	20.0	ND	20

UJ Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
 DEA license: RP0611043
 ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
 Thu, 23 Jan 2025 13:02:27 -0800

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.

PES - Pesticides

Analyzed Dec 30, 2024 | Instrument LC/MSMS GC/MSMS | Method SOP-003

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Aldicarb	0.01	0.02	ND		Carbofuran	0.01	0.02	ND	
Dimethoate	0.01	0.02	ND		Etofenprox	0.02	0.1	ND	
Fenoxycarb	0.01	0.02	ND		Thiachloprid	0.01	0.02	ND	
Daminozide	0.01	0.03	ND		Dichlorvos	0.02	0.07	ND	
Imazalil	0.02	0.07	ND		Methiocarb	0.01	0.02	ND	
Spiroxamine	0.01	0.02	ND		Coumaphos	0.01	0.02	ND	
Fipronil	0.01	0.1	ND		Paclobutrazol	0.01	0.03	ND	
Chlorpyrifos	0.01	0.04	ND		Ethoprophos (Prophos)	0.01	0.02	ND	
Baygon (Propoxur)	0.01	0.02	ND		Chlordane	0.04	0.1	ND	
Chlorfenapyr	0.03	0.1	ND		Methyl Parathion	0.02	0.1	ND	
Mevinphos	0.03	0.08	ND		Abamectin	0.03	0.08	ND	
Acephate	0.02	0.05	ND		Acetamiprid	0.01	0.05	ND	
Azoxystrobin	0.01	0.02	ND		Bifentazate	0.01	0.05	ND	
Bifenthrin	0.02	0.35	ND		Boscalid	0.01	0.03	ND	
Carbaryl	0.01	0.02	ND		Chlorantraniliprole	0.01	0.04	ND	
Clofentazine	0.01	0.03	ND		Diazinon	0.01	0.02	ND	
Dimethomorph	0.02	0.06	ND		Etoazole	0.01	0.05	ND	
Fenpyroximate	0.02	0.1	ND		Fonicamid	0.01	0.02	ND	
Fludioxonil	0.01	0.05	ND		Hexythiazox	0.01	0.03	ND	
Imidacloprid	0.01	0.05	ND		Kresoxim-methyl	0.01	0.03	ND	
Malathion	0.01	0.05	ND		Metaxalyl	0.01	0.02	ND	
Methomyl	0.02	0.05	ND		Myclobutanil	0.02	0.07	ND	
Naled	0.01	0.02	ND		Oxamyl	0.01	0.02	ND	
Permethrin	0.01	0.02	ND		Phosmet	0.01	0.02	ND	
Piperonyl Butoxide	0.02	0.06	ND		Propiconazole	0.03	0.08	ND	
Prallethrin	0.02	0.05	ND		Pyrethrin	0.05	0.41	ND	
Pyridaben	0.02	0.07	ND		Spinosad A	0.01	0.05	ND	
Spinosad D	0.01	0.05	ND		Spiromesifen	0.02	0.06	ND	
Spirotetramat	0.01	0.02	ND		Tebuconazole	0.01	0.02	ND	
Thiamethoxam	0.01	0.02	ND		Trifloxystrobin	0.01	0.02	ND	
Acequinocyl	0.02	0.09	ND		Captan	0.01	0.02	ND	
Cypermethrin	0.02	0.1	ND		Cyfluthrin	0.04	0.1	ND	
Fenhexamid	0.02	0.07	ND		Spinetoram J,L	0.02	0.07	ND	
Pentachloronitrobenzene	0.01	0.1	ND						

RES - Residual Solvents

Analyzed Dec 31, 2024 | Instrument GC/FID with Headspace Analyzer | Method SOP-006

Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g	Analyte	LOD ug/g	LOQ ug/g	Result ug/g	Limit ug/g
Propane (Prop)	0.044	0.4	ND	5000	Butane (But)	0.02	0.4	ND	5000
Methanol (Metha)	1.176	3.92	118.0	3000	Ethylene Oxide (EthOx)	0.08	0.4	ND	1
Pentane (Pen)	0.024	0.4	ND	5000	Ethanol (Ethan)	0.048	0.4	ND	5000
Ethyl Ether (EthEt)	0.036	0.4	ND	5000	Acetone (Acet)	0.044	0.4	<LOQ	5000
Isopropanol (2-Pro)	1.16	3.868	ND	5000	Acetonitrile (Acetonit)	0.888	2.952	ND	410
Methylene Chloride (MetCh)	0.04	0.4	ND	1	Hexane (Hex)	0.012	0.4	ND	290
Ethyl Acetate (EthAc)	0.032	0.4	ND	5000	Chloroform (Clo)	0.028	0.4	ND	1
Benzene (Ben)	0.012	0.4	ND	1	1-2-Dichloroethane (12-Dich)	0.024	0.4	ND	1
Heptane (Hep)	0.012	0.4	ND	5000	Trichloroethylene (TriClEth)	0.072	0.4	ND	1
Toluene	0.036	0.4	ND	890	Xylenes (Xyl)	0.012	0.4	ND	2170

UJ Unidentified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



DCC license: C8-0000098-LIC
 DEA license: RP0611043
 ISO/IEC 17025:2017 Acc. 85368



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
 Thu, 23 Jan 2025 13:02:27 -0800

PharmLabs San Diego | 3421 Hancock St., Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Acc. 85368



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.